

IEEE 2026 SoutheastCon
Hardware Competition Ruleset

Draft Revision

(Final Revision Published
on Collabrotec June 15, 2025)



Table of Contents

1. Introduction	5
1.1. Objective	5
1.1.1 Locate and rescue the Astro-Ducks	5
1.1.2 Establish communication with the Earth	5
1.1.3 Restore power to the antennas	5
1.1.4 Communicate the antennas' LED color to the Earth	6
1.2. General Vehicle Requirements	6
1.3. Additional Vehicle Specifications	6
2. Board Design	7
2.1 Board Construction	8
2.1.1 Board General Construction	8
2.1.1.1 Board Base	8
2.1.1.2 Border Walls	9
2.1.1.3 Legs	9
2.1.1.4 Stabilizing Joint	9
2.1.1.5 Start LED bar	9
2.1.1.6 Earth Arm Construction	9
2.1.2 Crater Construction	10
2.1.3 Crater Part Description	10
2.1.3.1 Crater Upper Rim	10
2.1.3.2 Crater Lower Rim	11
2.1.3.3 Crater Flat Area V1	11
2.1.3.4 Crater Flat Area V2	11
2.2 Playing Field Areas	11
2.2.1 Area #1	12
2.2.2 Area #2	12
2.2.3 Area #3	12
2.2.4 Area #4	12
2.2.5 Astro-Duck Placement	12
2.2.6 Painted Zones	12
2.3 Antenna Construction	13
2.3.1 Antenna #1	15
2.3.2 Antenna #2	16
2.3.3 Antenna #3	17
2.3.4 Antenna #4	19
2.4 Earth Construction	19

- 2.4.1. Basic Construction 19
- 2.4.2 3D Part Description20
- 3. Earth Hook20
- 3. Rules of Play21
 - 3.1. Hardware Competition Rounds21
 - 3.1.1. Qualifying21
 - 3.1.2. Semifinals and Finals.....21
 - 3.2. Open teams22
- 4. Calculating Scores23
 - 4.1. Rewards23
 - 4.2 Penalties24
 - 4.3 Tiebreakers24
- 5. Logistics24
 - 5.1 General Safety24
 - 5.2 Team check in24
 - 5.3 Hardware Room24
 - 5.4 Practice Boards25
 - 5.5 Sequestered Area25
 - 5.6 Pre-staging25
 - 5.7 Setting up for a match25
 - 5.8 Conducting the match25
 - 5.9 General Competition Rules.....25
- 6. Bill of Materials – a list with links is provided in the appendix material26
 - 6.1 Arena Parts List26
 - 6.2 Arena Netting Parts List.....28
 - 6.3 3D Print Material Parts List (old – not verified and not complete. updated list provided by 4/15/2025)28
 - 6.4 Antenna Parts List (old – not verified updated list provided by 4/15/2025).....29
 - 6.5 Earth Parts List (old – not verified updated list provided by 4/15/2025).....31
 - 6.6 Potential UAV Options32
- 7. Appendix32
 - 7.1. Board Dimensions Note: Dimensions in this drawing for the support arm are not correct. The correct values are as indicated in section 2.1.1. The 46” side border wall should be 46.5” and the width of the legs should be 5.5”32
 - 7.1.1. Arena Board Base, Border Walls, Support Arm (Imperial).....32
 - 7.1.2 Arena Board Base, Border Walls, Support Arm (Metric) – same note as for imperial values33
 - 7.1.3 Stabilizing Joint (Imperial) – note board height should be 5.5”33
 - 7.1.4 Stabilizing Joint (Metric)34

Table of Figures

Figure 1 - 3D Model of Playing Field.....	8
Figure 2 - Playing Field Base	8
Figure 3 - Earth Arm Assembly.....	10
Figure 4 - Crater Rendering.....	10
Figure 5 - Areas of Playing Field.....	Error! Bookmark not defined.
Figure 6 - Astro-- Duck.....	12
Figure 7 - Painted Board with Painted Zones	13
Figure 8 - Painted Board with Completed Antennas and Potential Duck Placement	13
Figure 9 - Antenna Color Examples.....	14
Figure 10 - 3D and Fully Constructed Base Model of Antenna.....	15
Figure 11 - Antenna #1 Task and Built Antenna.....	16
Figure 12 - Antenna #2 Task and Built Antenna.....	17
Figure 13 - Antenna #2 Starting Position	17
Figure 14 - Antenna #3 Task and Built Antenna.....	18
Figure 15 - Antenna #3 Starting Position	18
Figure 16 - Antenna #4 Task and Built Antenna.....	19
Figure 17 - Earth Electrical Component Placement	19
Figure 18 - 3D and Constructed Model Rendering of Earth	20
Figure 19 - Competition Bracket	22

1. Introduction

The year is 2075 and innovation in space travel has led to routine daily flights between Earth and the Moon. However, disaster has struck. A meteor has struck down the communication satellite, causing a cascade of malfunctions. The Astro-Duck on the Moon find themselves stranded with no means to communicate with Earth. The consequences of this collision are dire, as now the Astro-Ducks have no way to navigate back to the lunar lander and are slowly running out of oxygen. While for many all hope is lost, a team of some of the most technologically advanced space cadets have volunteered to lead a rescue mission.

The next morning, your team is launched into orbit equipped with a new satellite. The journey is long and tough, but you're able to get to the Moon with all the materials needed to save the day. Upon stepping foot onto the Moon's surface, your team learns the situation is more dire than originally planned as not only are the Astro-Ducks lost, but all the Moon's antennas need to be restarted to restore power.

As a result, your team must do a variety of tasks before it's too late. Your team must locate and return all Astro-Ducks to the lunar lander. Your team must restart all four of the antennas, restoring power. Your team needs to launch the new satellite into orbit and have it establish communication with the Earth. Finally, your team needs to effectively transmit the messages from the antennas to the Earth, fully restoring all communication and saving the day.

1.1. Objective

Teams are responsible for building a robot capable of completing tasks throughout the competition board. It is also encouraged to build a micro UAV to operate alongside the robot; however, it is not required as tasks can be completed with or without a micro UAV. Tasks can be completed in a variety of orders. The team will have a maximum of 3 minutes to earn points; however, the team can stop their robot at any time before the three-minute period and signal to the judge that they are finished with their match. The ways points can be gained or lost will be indicated in the scoring section. The tasks throughout the board are as follows:

1.1.1 Locate and rescue the Astro-Ducks

There will be 6 Astro-Ducks located throughout the competition board. One Astro-Duck will be located on top of one of the antennas. This Astro-Duck's location will always be the same. However, the remaining 5 Astro-Ducks will be placed randomly throughout the board. All 6 Astro-Ducks need to be located and returned to the Echo Base area on the board

1.1.2 Establish communication with the Earth

The team needs to establish communication with the Earth via a photodiode mounted on the Earth's surface.

1.1.3 Restore power to the antennas

Each antenna has lost its power. There will be four antennas located throughout the board. The team needs to restore power to the antenna. Power will be restored a different way for each

antenna. The ways of restoring power are detailed in the Board Design Section. When power is restored an LED at the top of the antenna and an LED on the side of the antenna will turn on. The LED at the top of the antenna will be one of four colors (red, blue, green, and purple). The antenna's LED color will be decided randomly and can be repeated.

1.1.4 Communicate the antennas' LED color to the Earth

The team must use the micro UAV to read the color of the LED at the top of each of the antennas and then have the UAV communicate to the Earth the color of each antenna's LED. The robot cannot read and transmit the antenna LED color.

1.2. General Vehicle Requirements

The team robot and micro UAV, if applicable, must be completely autonomous. All vehicles when combined must fit within the 12" by 12" by 12" starting area at the start of each match. If a micro UAV is built then the robot and micro UAV must begin as one unit, but can separate at any point of the run, and are not required to end as one unit. The team's robot must not have a weight of more than 25lbs. Any aerial or flying object must also have a weight of no more than 0.55 pounds or 250 grams. Any team found violating these rules will be disqualified from the competition.

1.3. Additional Vehicle Specifications

1. The robot must not have a weight of more than 25lbs. Any aerial or flying object must also have a weight of no more than 0.55 pounds or 250 grams.
 2. The robot may extend arms or appendages (or flags or figures) to complete the challenges throughout the course. A robot with appendages must fold/constrict and otherwise fit within the 1' cube robot size restriction before a run begins.
 3. The robot may extend past the 12"x12"x12" size restriction after a run begins.
 4. The robot can expand horizontally without any restrictions other than it cannot extend more than 3" outside of the border wall of the playing area.
 5. The robot cannot expand vertically such that its height is greater than 16" (not counting the micro UAV) from the playing surface.
 6. The robots may disassemble into as many units as possible, but they must begin assembled together in a 12" cube. Multiple units can fly; however, all must satisfy the weight requirement listed above. All elements must be assembled together at the start of the competition.
 7. It is strongly recommended that robots and micro UAV, if applicable, include an emergency stop (i.e., a button, switch, mechanism, easily accessible power line, etc.). In the event of damage or malfunction, gameplay must be halted.
 8. All units, particularly flying units, must not move outside of the netted playing field, doing so can lead to the immediate disqualification from the competition.
 9. No explosive, pyrotechnic, toxic, or corrosive materials. Flammable liquids or gasses are prohibited.
 10. While it is the team's responsibility to handle accidental interference, any intentional interference by another robot or team will not be tolerated and can result in immediate disqualification from the competition.
-

11. Teams are responsible for the safety of their robot. Teams should take extra precautions to avoid the robot leaving the game board as no modifications including padding will be allowed to or around the game board and floor. In case of leaving the game board, the team will automatically end the competition set and scoring will be up to that point.
12. The robot shall not present any danger to the judges, spectators, playing arena, or area surrounding the arena. If at any time the judges deem the robot is causing or is likely to cause harm, the judge may terminate the match immediately. The judge will have the discretion of whether any points are awarded for that match and if the robot is allowed to compete in any remaining rounds.
13. There is no limitation on the hardware development, embedded systems utilized, sensors, or assembly. Teams are encouraged to develop as advanced robots as possible to complete the tasks.
14. Advanced embedded systems for use with machine learning models are permissible.
15. Robots must have a clearly labeled start switch.
16. You may choose to use Sonar and LIDAR sensors. However, be advised teams are required to handle any accidental interference from other robots or other noise sources. For example, many cameras have infrared rangefinders, and may accidentally interfere with infrared sensors.
17. We encourage robots to be decorated to the conference theme and display a school logo or mascot, school flag, state flag, etc. Mascots and figures are also encouraged, as are robots that play music and have a light show. Any flag or figure must fit within the initial size constraints of the robot. It may extend past the size restriction after a run begins.

2. Board Design

The board design is explained in the following sections. The complete design dimensions and assemblies will be provided in the appendix. Multiple objects are also 3D printed using HATCHBOX 1.75mm PLA in which all files will be provided. Similarly, many have electronic components and all wiring and code will also be provided.

Note: all measurements provided are subject to a 2% variation in the actual construction




Figure 1 - 3D Model of Playing Field

2.1 Board Construction

Additional documentation is provided alongside this document. The additional documentation will go more in depth on the construction of the arena and the individual elements. Also, all code, wiring, and CAD models will be provided as well.

2.1.1 Board General Construction

The construction of the competition board consists of materials that can be found at most every large hardware and home improvement retailer. The provided bill of material (6) includes the list of items, quantity of each item and links to the exact item used for this particular board.

NOTE: Actual wooden materials vary based on manufacturer's quality requirements. It is important to measure the hardware while purchasing and cutting/sawing in assembly to the provided instruction constraints.



Figure 2 - Playing Field Base

The competition arena is based on a rectangular plywood sheet with exterior size of 4' x 8' and 5mm" thickness. The plywood sheet will be attached to the border walls using #8 1" cabinet screws. The use of cabinet screws will provide a better hold and reduce the problem of driving a regular wood screw through the thin plywood.

2.1.1.2 Border Walls

The arena border walls will be assembled with three 1" x 6" x 8' square edged Unfinished Whitewood Boards and 1-1/4" Interior Wood. One 8' board will be measured and cut into two sections of 46.5". The 8' boards will be mounted vertically along the interior edge of the 8' plywood base and the 46.5" boards will be mounted vertically along the short edge interior of the plywood base inside of the 8' boards.

2.1.1.3 Legs

The arena will be supported by utilizing two 1" x 6" x 8' square edged Unfinished Whitewood Board and 1-1/4". interior wood screws. One of the boards is cut into 6 segments, each measuring 14". with one 14" board mounted to each corner on the outside of the 8' edge border walls, by 4 1-1/4" interior wood screws. The remaining two boards will be mounted on the center exterior of the 8' side border wall with 4 1-1/4" interior wood screws. This will give the board a lift of approximately 6.5".

2.1.1.4 Stabilizing Joint

A single stabilizing joint will be placed between the center 2 legs of the arena board and will be assembled with one 1" x 6" x 6' square edged Unfinished Whitewood Board and 1-1/4". Interior Wood Screws. The board should be cut to measure 48" and mounted in the center of the interior of the two middle legs on the underside of the board.

2.1.1.5 Start LED bar

Two starting white LED bars will be place on top of the arena wall. One on each side of the 12"x12" starting area. These LED's will be centered in the 12" length of each side of the starting area. They will turn on for approximately 1 second to indicate the start of the round for the robot.

2.1.1.6 Earth Arm Construction

The Earth arm will utilize a single 2" x 2" x 8' wood post. The post will be cut into 3 segments. Segment 1 will measure 16" , Segment 2 will measure 40", and Segment 3 will measure 10". Segment 1 slides under the board on the starting square side at the middle leg. It will be fastened to the wall using a 2" angle bracket. This segment will extend 10" out from the wall with the other 6 inches underneath the arena. Segment 2 will be placed vertically attached to the end of segment 1. The height from the floor to where segment 1 attaches to segment two will be approximately 6.5". 1 wood screw can be used to attach the segments and then a 2 inch angle bracket will also be used on both sides of the connection(one on top and one on bottom). The top of segment 1 will be cut at a 45 degree angle and one side of segment 3 will be cut at a 45 degree angle. Segment three will be attached to segment two using the 45 degree angles to create a 90 degree corner. A 2" angle bracket will be used at this corner and one wood screw will be used to join the two pieces as well. A eyehook will be put into segment three centered at 2" from the end of the segment closest to the field of play. Reference figure 3 for how the final arm assembly will look once constructed.



Figure 3 - Earth Arm Assembly

2.1.2 Crater Construction

The Crater will be 2' in diameter with a downward slope into an 8" diameter flat area. It will be fully 3D printed and affixed to the playing field. It will also be supported by a sheet of plywood attached underneath the playing field. Due to a rough printing area of 5.5" x 5.5" x 5.5" available in many 3D printers, the Crater will consist of 4 main part types that will be duplicated and assembled to create the Crater. See *3D-Printed Part Assembly Guide* for full assembly instructions of the Crater and *3D-Printing Guide* for instructions on printing each part.



Figure 4 - Crater Rendering

2.1.3 Crater Part Description

2.1.3.1 Crater Upper Rim

The first part is the outer diameter of the crater. The crater requires 16 copies of *Upper Rim*. This part will have 2 holes. 1 hole will be located on the upper side of the part and another on the lower side. Additionally, *Upper Rim* will have a lower lip located on the bottom such that *Lower Rim* can

rest upon it. The hole on the upper side of this part be a 1/4" and will be used to attach the crater to the playing field via a bolt.

2.1.3.2 Crater Lower Rim

The second part is the inner diameter of the crater. The crater requires 16 copies of *Lower Rim*. Similar to *Upper Rim*, this part will have 2 holes.

Similar to *Upper Rim* this part will have 2 holes. One hole will be on the upper side and will align with the lower hole of *Upper Rim*. The other hole will be located on the lower side of this part and will be used to attach the curved area of the crater to the flat area at the bottom. *Lower Rim* will also feature a lower lip at the bottom of the part such that *Flat Area V1* can rest upon it.

2.1.3.3 Crater Flat Area V1

Flat Area V1 will be the flat area located at the base of the crater. The crater requires 2 copies of *Flat Area V1*. Once assembled it will span 8" in diameter. Flat Area V1 will resemble a semi-circular plate with an upper lip that rests on the lower lip of Lower Rim. *Flat Area V1* will have 4 holes on the outer edge of the part which will align with the lower hole of *Lower Rim*. This part will also have a 1/4" hole located near the center such that Antenna #3 and the Crater can be mounted to the supporting plywood platform underneath the playing field.

2.1.3.4 Crater Flat Area V2

Flat Area V2 is the mirrored version of *Flat Area V1* which is required to mount the antenna in the base of the crater. 2 copies of this part are required for antenna construction. *Flat Area V2* must be placed opposite of the other copy of *Flat Area V2*.

2.2 Playing Field Areas

The competition playing field will be divided into 4 main areas. Each area will feature 1 antenna and 1 Astro-Duck in areas 1, 2 and 4, and 3 Astro-Ducks in area 3. Six Astro-Ducks in total will be distributed across the playing field. The Astro-Ducks will be placed randomly in their designated areas while all other items will be in the locations shown in Figure 5 below. The Placement of the Astro-Ducks will be in the approximate locations shown in Figure 5.




Figure 5 - Areas of Playing Field

2.2.1 Area #1

Area #1 is the blue shaded area located in the lower left quadrant of the arena, it also accounts for 25% of the total playing field. Area #1 contains the the Starting Area, Antenna #4, and 1 Astro-Duck.

2.2.2 Area #2

Area #2 is the green shaded area located in the upper left quadrant of the arena, and accounts for 25% of the total playing field. It will feature Antenna #1, 1 Astro-Duck, and the Lunar Landing Area. The Lunar Landing Area will function as the Astro-Duck gathering zone.

2.2.3 Area #3

Area #3 the purple shaded area in the right half of the arena, it accounts for approximately 40% of the total playing field. Area #3 is the largest area, and as such will contain Antenna #2 and 3 Astro-Ducks.

2.2.4 Area #4

Area #4 is the red shaded area located on the right side of the arena inside Area #3, it accounts for approximately 10% of the total playing field. This is the most unique area on the playing field as it is a 2' diameter crater with an 8" circular flat area at the bottom. Antenna #3 will sit at the bottom of the crater along with 1 Astro-Duck resting on top of Antenna #3. A line will be drawn around the crater 3" down from the edge of the crater. This line will be used to determine one of the scoring



Figure 6 - Astro-Duck

possibilities for the competition.

2.2.5 Astro-Duck Placement

For the Astro-Duck placement, all Astro-Ducks will be placed face up as shown below. No Astro-Duck will begin in the starting area or Echo Base area. No Astro-Duck will be within 2" of the separation line between two zones. Astro-Ducks will also not be within 2" of Antenna #1, #2, and #4 nor will they be within 2" from any of the playing field walls nor 2" from the gray edge of the crater. Orientation of the Astro-Ducks will be random and they will be placed in the approximate areas shown on the playing field in Figure 5.

2.2.6 Painted Zones

For the board, the base plywood, the arm for the Earth, and the walls will all be painted black. The crater will be painted light gray. The starting area will be painted green and the Echo Base area will be painted blue. The area under antennas #1, #2, and #4 will be painted white. The lines used to separate Area #1, #2, and #3 will be indicated with a painted solid white line. The line will be 1.5" +/- 0.25" thick being centered on the zone separation lines indicated in *Areas of the Playing Field* in section 2.2 causing 0.75" of the line to be in each zone.




Figure 7 - Painted Board with Painted Zones




Figure 8 - Painted Board with Completed Antennas and Potential Duck Placement

2.3 Antenna Construction

There will be four antennas placed on the board, and each antenna will be in the designated area

shown in Figure 5 in section 2.2. There are four different antenna designs, and while the base will be the same there are some slight differences in each design to account for the different tasks. The cube at the base of the antenna will be matte black, and the stand and dish of the antenna will be silver. The color and shape of the antenna is shown in Figure 9 below.

All the antennas will also have some electrical components in order to read the task and power the antenna when appropriate. All components will be stored within the 5" cube antenna base with the sliding hatch door closed. Power being restored for the antenna will be indicated two ways with an indicator LED on the sign of the 5" base and an LED placed in the center of the dish. When an antenna is turned on the LED in the dish of the antenna will turn one of four colors: red, blue, green, and purple. The color of the LED will not be provided beforehand, but it will be one of the 4 specific colors




Figure 9 - Antenna Color Examples

Once the team completes a task on an antenna and restores the antennas power and turns on the LED in the antenna dish, it will not turn off unless the antenna is manually reset.




Figure 10 - 3D and Fully Constructed Base Model of Antenna

The antenna base has 4 interior mounting points which will be used to fasten the base to the playing field. 4x 4-40 $\frac{3}{4}$ " bolts will be used to attach the base to the playing field. The antenna stand consists of 2 cylindrical parts, each part will simply slide together along the cylindrical axial and be glued in place. Once the antenna shaft is assembled it will slide onto a small cylindrical protrusion on top of the antenna base. Finally, the antenna dish will slide onto the top of the antenna shaft along the 2 notched guidelines.

The antenna will be constructed where the dish of the antenna is inline with the task placed at the base of the antenna. This will cause both the LED on the base of the antenna and the LED in the dome of the antenna to be orientated in the same direction. Thus, when it is stated that an antenna is facing in a direction that means the LED in the dome and LED on the side of the box are facing that direction. Additional details will be provided in the document titled "Antenna Construction Documentation"

2.3.1 Antenna #1

Antenna #1 will be located in Area #2 and the dome will be facing the south wall of the playing field. This antenna will have a button task.



Figure 11 - Antenna #1 Task and Built Antenna

As shown above a button will be placed on the side of the 5” cube antenna base. In order to turn on the antenna, the button needs to be pushed 3 times in total. The antenna has 4 additional LEDs placed on button side of the antenna base. On the right side of the button there are 3 vertical LEDs. The top LED will be red, the middle LED will be yellow, and the bottom LED will be green. The LEDs will turn on corresponding to how many times the button has been pressed. When the button is pressed once, the red LED will turn on. When the button is pressed for the second time the yellow LED will turn on. Then when pressed for the third time the green LED will turn on. The third push will also fully restore power to the antenna causing the LED in the antenna to turn on to a random color of red, blue, green, or purple. Furthermore, a green LED to the left of the button will turn on indicating that the task is completed (reference Figure 11 above).

2.3.2 Antenna #2

Antenna #2 will be located in Area #3 and will be facing the south wall of the playing field. This antenna will have a crank task.




Figure 12 - Antenna #2 Task and Built Antenna

Antenna #2 will have a crank mounted on the side of the antenna base. The crank will start with the handle at the very top as shown in figure 13. The robot needs to rotate the crank 540 degrees clockwise or counterclockwise. Once the crank has been rotated at least 540 degrees, the LED in the antenna will turn on to a random color of red, blue, green, or purple. Furthermore, a green LED to the left of the crank will turn on indicating that the task is completed (reference Figure 12 above). Note: the programming will be for 360 degrees. 540 is stated as the requirement because during testing sometimes the crank had to go about 45 degrees more than 360. Further testing and refinement will be done to clarify the necessary rotation amount.




Figure 13 - Antenna #2 Starting Position

2.3.3 Antenna #3

Antenna #3 will be located in Area #4 and will be facing the west wall of the playing field. This antenna will have a pressure plate task.





Figure 14 - Antenna #3 Task and Built Antenna

A pressure plate will be mounted on top of the antenna base with an Astro-Duck placed on top. The Astro-Duck will be placed right side up centered on the pressure plate. The team needs to remove the Astro-Duck from the top of the pressure plate. When the Astro-Duck has been successfully removed from the pressure sensor, the LED in the antenna will turn on to a random color of red, blue, green, or purple. Furthermore, a green LED on the front of the antenna base will turn on indicating that the task is completed (reference Figure 14 above). The Astro-Duck stranded on the antenna is one of the six Astro-Ducks that needs to be returned to the Echo Base.




Figure 15 - Antenna #3 Starting Position

2.3.4 Antenna #4

Antenna #4 is a keypad task. The antenna will be located in Area #1.



Figure 16 - Antenna #4 Task and Built Antenna

The keypad will be located on the side of the antenna base as shown in Figure 16 and the keypad will be facing the north wall of the playing field. In order to restore power to antenna #4, the robot needs to input the code 73738# which corresponds to “RESET” using the dial letters on the keypad. Once the code has been successfully entered, the LED in the antenna will turn on to a random color of red, blue, green, or purple. Furthermore, a green LED to the left of the keypad will turn on indicating that the task is completed (reference Figure 16 above). From early testing results, this code may change in the final version of the rule set.

2.4. Earth Construction

2.4.1. Basic Construction

The Earth will also be 3D printed using silver filament. All electronic components besides the photodiode and LCD will be placed inside as illustrated in Figure 17. Once fully assembled the Earth




Figure 17 - Earth Electrical Component Placement

will be attached to the support arm attachment on the playing field. The bottom of the earth will be 24" +/- 1" from the arena playing surface. As the LCD will track all points gained through transmission with the Earth's photodiode and the Arduino will also keep record of all transmissions which can be used to verify the LCD's score. See 3D-Printed Part Assembly Guide in Apendix ## for full assembly instructions of the Earth.




Figure 18 - 3D and Constructed Model Rendering of Earth

2.4.2 3D Part Description

1. Shell V1

Shell V1 is 1 hemisphere of the total Earth design. It has a small hemispherical cavity which features a small hole and a mounting point. The photodiode used to receive communications from the UAV will be mounted inside the cavity on the previously mentioned mounting point. A hemispherical hole is located at the top of *Shell V1* such that the suspending cable can enter into the center of the Earth. *Shell V1* also has 2 mounting holes on either side of the hemisphere which will be used to affix *Shell V1* to *Shell V2*.

2. Shell V2

Similar to *Shell V1*, *Shell V2* is a hemisphere that will make up the entire spherical design of the Earth when affixed to *Shell V1*. *Shell V2* features 4 cylindrical mounting holes protruding from the hemispherical face. These mounting holes will be used to affix the LCD to the back of the Earth. It also has 2 mounting holes on either side of the hemisphere which will be used to affix *Shell V1* and *Shell V2*.

3. Earth Hook

Earth Hook is a small cylinder with a hole. The mounting cable will be inserted through the hole and tied into a knot such that it cannot pass back through the hole. When *Shell V1* and *Shell V2* are affixed together, Earth Hook will set inside the 2 hemispherical parts such that the mounting cable passes through the small hole at the top of *Shell V1* and #2. This will allow for the Earth to be upheld by the mounting cable.

3. Rules of Play

3.1. Hardware Competition Rounds

The hardware competition will have 3 different rounds: qualifying, semi-final, and finals. For the qualifying and semi-finals rounds, multiple boards will be used to run the competition simultaneously. Below is a breakdown of the different rounds for the hardware competition

3.1.1. Qualifying

A lineup of time slots and team call orders for the qualifying round will be provided and posted to the SoutheastCon website prior to the competition date. All teams will participate in qualifying. A play order will be assigned prior to the competition beginning. This play order will be repeated three times in total allowing each team to have 3 total rounds. The team's two highest scoring rounds will be added together to get the team's qualifying score. The top 16 teams will move on to the semifinals.

3.1.2. Semifinals and Finals

The 16 teams with the highest qualifying round score will participate in the semifinals. The semifinals will be a single elimination bracket competition where each playoff will consist of two teams. Each of the teams will get one run of the play field. The team with the highest points will move on to the next round. The team's placement in the bracket will be determined by the number of points scored in qualifying with the team with the highest qualifying score being #1, the next highest being #2, etc. During the semifinals, 4 boards will be used for the first round, 2 boards for the second and third rounds and 1 board for the last round.

The bracket will be as follows



Figure 19 - Competition Bracket

The bracket will continue until 2 teams remain. The 2 teams will then move to the finals. The final round will be held on Saturday night during the awards banquet where each team will get a single run and the winner is the team with the highest score.

3.2. Open teams

Open teams, not part of official student branches, will compete and be scored solely against each other. However, open teams will be competing during the same time the official student branch robots are competing. The run order for all teams, open and official student branch, will be random.

4. Calculating Scores

Points are awarded and removed as indicated in the table below. For the qualifying rounds, no team will receive a score less than zero (no less than 15 if they participate in the student design competition). The student design competition points are only added to the three qualifying round scores. They will not be added during the semi-final and final rounds.

4.1. Rewards

Points Per	Max Points from Task	Task
20	20	Robot leaves the starting area
15	60	For each antenna that is turned on
5	30	For each - that ends the round within the Echo base
20	20	First connection to the Earth (Improper or Proper)
30	120	For each proper Antenna LED identification sent to Earth
15	15	Robot ends the round in starting area
20	20	The robot successfully enters and exits the crater. Successful crater entry is defined as having more than 25% of the robot below the lip of the crater
35	35	The robot completes one full lap around the crater with the robot wheels/tracks/moving mechanism touching the crater below the line indicated 4 inches below the rim of the crater. The 4 inches is measured along the crater side.
30	30	Launch of the UAV. A successful launch from the robot requires the robot to have completely exited the start area and the UAV to leave the robot and move at least 15 inches horizontally and 15 inches vertically from the robot.
50	50	Retrieval of the UAV. A successful retrieval is having the UAV successfully land and remain on the robot after a successful launch
15	15	Robot auto starts using a white LED start bar and does not require a human to start the robot at the beginning of the competition
15	15	Participation in the student design competition – these points are awarded after the points earned from the hardware qualifying run
Max points	400	

4.2 Penalties

Deduction	Max Deduction Points	Task
- 3	-30	For each unintentional collision from either the micro UAV or robot has with the antennas. Unintentional is defined as collision that is not being done with the purpose of completing a task or a collision with excessive force.
-15	-120	For each improper Antenna LED identification sent to Earth
Max Deduction	-150	

4.3 Tiebreakers

In the event of a tie between multiple teams the higher rank will be awarded to the team with the faster completion time. In the event that a team does not complete the run by having both the robot and UAV return to the starting position then the team will time out at three minutes. In the case that multiple teams time out at three minutes then the referee will rank the teams based on which team seemed to complete the various tasks faster. In the event of any other ties the same rank will be awarded to those teams.

5. Logistics

Logistics are TBD

5.1 General Safety

Teams with UAV greater that 250 grams will be disqualified.

Teams will be disqualified for UAV flights outside of designated flight safety area.

Number of UAV flying in the safety area will be controlled, by officials.

Safety netting is placed around the board made from a 10' x 5' x 6" (length x height x width) PVC pipe frame with each side covered by safety netting.

5.2 Team check in

TBD

5.3 Hardware Room

TBD

5.4 Practice Boards

TBD

5.5 Sequestered Area

TBD

5.6 Pre-staging

TBD

5.7 Setting up for a match

TBD

5.8 Conducting the match

TBD

In the event the board electronics do not work as specified in the ruleset, then the team will be given the opportunity of a reset.

5.9 General Competition Rules

TBD

6. Bill of Materials – a list with links is provided in the appendix material

6.1 Arena Parts List

Product	Price	Quantity	Total	Source	Link
4ft x 8ft Plywood	\$29.88	1	\$29.88	Home Depot	5.2mm - Sandeply Plywood (1/4 in. Category Common: 1/4 in. x 4 ft. x 8 ft.; Actual: 0.205 in. x 48 in. x 96 in.)
1in x 8in - 8ft Plank	\$17.98	3	\$53.94	Home Depot	1 in. x 8 in. x 8 ft. Premium Kiln-Dried Square Edge Common Softwood Boards
1in x 6in - 8ft Plank	\$12.98	2	\$25.96	Home Depot	1 in. x 6 in. x 8 ft. Premium Kiln-Dried Square Edge Whitewood Common Softwood Boards Board
Interior Wood Screws	\$9.98	1	\$9.98	Home Depot	GRK Fasteners #8 x 1-1/4 in. Star Drive Dual Flat Head Coarse Thread Construction Screws 1 lb. Box
Cabinet Wood Screws	\$7.48	1	\$7.48	Home Depot	GRK Fasteners #8 x 1 in. Star Drive Flat Washer Head Cabinet Screw (100-Pack)
2in x 2in Wood Post	\$2.87	1	\$2.87	Home Depot	2 in. x 2 in. x 8 ft. Furring Strip Board
2in Zinc Steel Angle Brace	\$3.79	1	\$3.79	Home Depot	2 in. Steel Zinc-Plated Corner Brace (4-Pack)
Zinc Screw Eye	\$1.38	1	\$1.38	Home Depot	Everbilt 1/8 in. x 1-1/2 in. Zinc Screw Eye (4-Piece)
Blue Paint - 1 Quart	\$11.48	1	\$11.48	Home Depot	 Glidden Premium 1 qt. Pure White Base 1 Flat Interior Paint GLN9011N-04 - The Home Depot
	\$11.48	1	\$11.48		

Black Paint - 1 Quart				Home Depot	Glidden Premium 1 qt. Pure White Base 1 Flat Interior Paint GLN9011N-04 - The Home Depot															
Green Paint - 1 Quart	\$11.48	1	\$11.48	Home Depot	 <p>STR#0803 GLIDDEN BASE: GLN9013N GLIDDEN PREMIUM INT LTX FLAT/FLA1 (PPG1226-7) BLARNEY STONE</p> <table border="1"> <tr> <td>CLRNT</td> <td>AXL</td> <td>DL</td> <td>KXL</td> <td>LL</td> </tr> <tr> <td>0Z</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>384th</td> <td>192</td> <td>224</td> <td>52</td> <td>68</td> </tr> </table> <p>QUART - 3/29/2024 (AML)</p> <p>080324518291 NOT RETURNABLE</p> <p>Glidden Premium 1 qt. Pure White Base 1 Flat Interior Paint GLN9011N-04 - The Home Depot</p>	CLRNT	AXL	DL	KXL	LL	0Z	1	0	0	0	384th	192	224	52	68
CLRNT	AXL	DL	KXL	LL																
0Z	1	0	0	0																
384th	192	224	52	68																
White Paint - 1 Quart	\$11.48	1	\$11.48	Home Depot	 <p>STR#0126 GLIDDEN BASE: GLN9011N GLIDDEN PREMIUM INT LTX FLAT/FLA {MAN}White</p> <table border="1"> <tr> <td>CLRNT</td> <td>BL</td> </tr> <tr> <td>0Z</td> <td>0</td> </tr> <tr> <td>384th</td> <td>1</td> </tr> </table> <p>QUART - 8/19/2023 (KEP)</p> <p>012623595894 NOT RETURNABLE</p> <p>Glidden Premium 1 qt. Pure White Base 1 Flat Interior Paint GLN9011N-04 - The Home Depot</p>	CLRNT	BL	0Z	0	384th	1									
CLRNT	BL																			
0Z	0																			
384th	1																			
Grey Paint - 1 Quart	\$11.48	1	\$11.48	Home Depot	 <p>STR#0126 GLIDDEN BASE: GLN9011N GLIDDEN PREMIUM INT /FLAT, MATTE {CM}Custom Color Match - CMC23</p> <table border="1"> <tr> <td>CLRNT</td> <td>BL</td> <td>GL</td> <td>FL</td> </tr> <tr> <td>0Z</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td>384th</td> <td>290</td> <td>35</td> <td>13</td> </tr> </table> <p>QUART - 8/20/2023 (IS7)</p> <p>012623595994 NOT RETURNABLE</p> <p>Glidden Premium 1 qt. Pure White Base 1 Flat Interior Paint GLN9011N-04 - The Home Depot</p>	CLRNT	BL	GL	FL	0Z	0	0	0	384th	290	35	13			
CLRNT	BL	GL	FL																	
0Z	0	0	0																	
384th	290	35	13																	
Paint Brushes	\$20	1	\$20	Home Depot	Use any brushes as needed															
		Total	\$212.68																	

6.2 Arena Netting Parts List

Arena Netting Construction Build of Material

Product	Price	Quantity	Total	Vendors	Notes
10' - 3/4" Schedule 40 pvc	\$5.03	8	\$40.24	Home Depot	3/4 in. x 10 ft. PVC Schedule 40 Pressure Plain-End Pipe
3-Way PVC Tee	\$9.97	1	\$9.97	Amazon	QWORK 3 Way 3/4" Tee PVC Fitting Elbow, 10Pack
4-Way PVC Tee	\$19.99	1	\$19.99	Amazon	15 Pack 3/4Inch 4 Way PVC Fittings
3/4" PVC coupler	\$0.54	2	\$1.08	Home Depot	3/4 in. PVC Schedule 40 S x S Coupling
8-in Zip Ties	\$2.29	1	\$2.29	Harbor Freight	STOREHOUSE 8 in. UV-Resistant Black Cable Ties, 100-Pack
7ftx100ft Mesh Plastic Fencing	\$22.98	1	\$22.98	Home Depot	7 ft. x 100 ft. Polypropylene Deer Block Netting, UV Treated
		Total	\$96.55		<u>Note: pvc pipe can be bought at Lowes for price shown for 8 pieces, PVC pieces shown is what will be used in the competition, teams can get whatever pvc they want for their netting framework</u>

6.3 3D Print Material Parts List (old – not verified and not complete. updated list provided by 4/15/2025)

Product	Price	Quantity	Total	Vendors	Notes
3D Printing	\$24.99	2	\$49.98	Amazon	Amazon.com: HATCHBOX 1.75mm Black PLA 3D Printer
Materials - Black	\$24.99	2	\$49.98	Amazon	Filament, 1 KG Spool, Dimensional Accuracy +/- 0.03 mm, 3D Printing Filament : Industrial & Scientific
3D Printing Materials - Silver	\$24.99	2	\$49.98	Amazon	Amazon.com: HATCHBOX 1.75mm Black PLA 3D Printer Filament, 1 KG Spool, Dimensional Accuracy +/- 0.03 mm, 3D Printing Filament : Industrial & Scientific
#4-40x1-1/2" Screws	\$7.69	1	\$7.69	Amazon	https://www.amazon.com/gp/product/B0CCY8P3XZ/ref=ox_sc_saved_title_1?smid=A30WUG2ZDGM0XM&psc=1
2-56x3/4" Screws	\$7.79	1	\$7.79	Amazon	https://www.amazon.com/gp/product/B0C6Q4DN6S/ref=ox_sc_saved_title_8?smid=A30WUG2ZDGM0XM&psc=1
Socket Cap Screw Assortment Kit	\$18.99	1	\$18.99	Amazon	https://www.amazon.com/gp/product/B0B9442425/ref=ox_sc_saved_image_7?smid=A2UZDV9NJUO1SN&psc=1
		Total	\$181.41		

6.4 Antenna Parts List (old – not verified updated list provided by 4/15/2025)

Product	Price	Quantity	Total	Antenna #	Source	Link
Nano x3	\$19.99	2	\$39.98	All	Amazon	Amazon.com: Nano V3.0. Nano Board ATmega328P 5V
Green LED	\$3.13	4	\$12.52	All	Digikey	5598200007F Dialight Optoelectronics DigiKey
100 Ohm Resistor	\$0.57	7	\$3.99	All	Digikey	PNP300JR-73-100R YAGEO Resistors DigiKey
500 Ohm Resistor	\$0.64	4	\$2.56	All	Digikey	CMF55500R00FKEB Vishay Dale Resistors DigiKey
Rocker Switch	\$6.92	4	\$27.68	All	Digikey	JWS11RAAF NKK Switches Switches DigiKey
9V Battery	\$12.58	1	\$12.58	All	Amazon	Amazon.com: Amazon Basics 8-Pack 9 Volt Alkaline
9V Battery Connector	\$4.99	1	\$4.99	All	Amazon	Amazon.com: VWEICY 9V Battery Connector
Mini Breadboards	\$5.99	1	\$5.99	All	Amazon	Amazon.com: WWZMDiB 6Pcs SYB-170 Mini Breadboard White Breadboard Small Plates
Wire	\$14.99	1	\$14.99	All	Amazon	TUOFENG 22 awg Wire Solid Core Hookup Wires-6 Different Colored Jumper Wire 30ft
RGB LED	\$8.99	1	\$8.99	All	Amazon	Amazon.com: EDGELEC 100pcs 5mm RGB Tri-Color (Red Green Blue Multicolor)
Red LED	\$3.45	1	\$3.45	Antenna #1	Digikey	559-8100-007F Dialight Optoelectronics DigiKey
Yellow LED	\$3.45	1	\$3.45	Antenna #1	Digikey	559-8300-007F Dialight Optoelectronics DigiKey
Green LED	\$3.13	1	\$3.13	Antenna #1	Digikey	5598200007F Dialight Optoelectronics DigiKey
Red Button	\$10.99	1	\$10.99	Antenna #1	Amazon	uxcell Game Push Button 60mm Round 12V LED Illuminated Push Button Switch
Crank	\$14.00	1	\$14.00	Antenna #2	Amazon	Amazon.com: NA Aluminum Alloy Mini Handwheel Mechanical Hand Wheel 50mm
Rotary Encoder	\$11.99	1	\$11.99	Antenna #2	Amazon	WMYCONGCONG 5 PCS KY-040 Rotary Encoder Module
Astro-Ducks	\$5.99	6	\$35.94	Antenna #3	Amazon	Amazon.com: MORTENTR Rubber Duck Space Venture Shuttle
Force Sensor	\$14.69	1	\$14.69	Antenna #3	Amazon	FORCE SENSING RESISTOR.1.5 INCH SQUARE.1oz-22LBS
10k Resistor	\$0.10	1	\$0.10	Antenna #3	Digikey	CF14JT10K0 Stackpole Electronics Inc Resistors DigiKey

Keypad	\$12.91	1	\$12.91	Antenna #4	Amazon	Amazon.com: Adafruit 3x4 Phone-style Matrix Keypad : Electronics
Digikey Shipping	\$6.99	1	\$6.99			
Astro-Ducks Shipping	\$3.13	1	\$3.13			
		Total	\$255.04			

6.5 Earth Parts List (old – not verified updated list provided by 4/15/2025)

Product	Price	Quantity	Total	Source	Links
Photodiode	\$1.16	1	\$1.16	Digikey	SFH 235 FA ams-OSRAM USA INC. Sensors, Transducers DigiKey
IR Diode	\$0.67	1	\$0.67	Digikey	TSHF5210 Vishay Semiconductor Opto Division Optoelectronics DigiKey
Cord	\$7.99	1	\$7.99	Amazon	Amazon.com: KINGLAKE 2mm Nylon Cord Satin String for Bracelets, 100 Yards Black Nylon String Craft Satin Cord
Arduino Uno	\$16.99	1	\$16.99	Amazon	Amazon.com: ELEGOO UNO R3 Board ATmega328P with USB Cable(Arduino-Compatible) for Arduino : Electronics
Battery	\$29.95	1	\$29.95	Amazon	Amazon.com: energyShield 2 Basic - Rechargeable Battery Shield - Compatible with Arduino Uno R3 : Electronics
LCD	\$8.99	1	\$8.99	Amazon	Amazon.com: HiLetgo 2pcs HD44780 1602 LCD Display Module DC 5V
		Total	\$65.75		

6.6 Potential UAV Options

These are a few UAV options that match the weight requirement. The UAV can also be fully built by the team. Remember the entire UAV must weigh less than 250 grams.


Product	Price	Link
ATOM GPS Drone with 4K 3-Axis Gimbal	\$299.99	Potensic ATOM Drone with 4K 3-Axis Gimbal Camera
GEPRC CineLog 30 3" 4S Analog CineWhoop Drone	\$219.99	https://www.getfpv.com/geprc-cinelog-30-3-4s-cinewhoop-drone-w-caddx-ratel-2.html?vid=13985&utm_source=google&utm_medium=cpc&utm_campaign=DM+-+NB+-+PMax+-+Sho
Vision 40	\$275	Vision40 40mm HD Built & Tuned Drone - 1S or 2S (rotorriot.com)
Beginner DIY FPV Drone Kit - QAV-S 2 Joshua Bardwell SE 5"	\$299.99	Beginner DIY Drone Kit - QAV-S 2 Joshua Bardwell SE 5" - HD Ready (DJI O3, Walksnail, Vista) (getfpv.com)

7. Appendix


7.1. Board Dimensions

Note: Dimensions in this drawing for the support arm are not correct. The correct values are as indicated in section 2.1.1. The 46" side border wall should be 46.5" and the width of the legs should be 5.5"


7.1.1. Arena Board Base, Border Walls, Support Arm (Imperial)



7.1.2 Arena Board Base, Border Walls, Support Arm (Metric) – same note as for imperial values



7.1.3 Stabilizing Joint (Imperial) – note board height should be 5.5"



7.1.4 Stabilizing Joint (Metric)

